

SUNBELT

STUDWELDING INC.

Stud Welding Product Catalog



stud welders

welding guns

weld studs

parts & accessories

Sunbelt Stud Welding

6381 Windfern Road, Houston, TX 77040

phone: 1-800-462-9353 - 713-939-8903 - fax: 713-939-9013

www.sunbeltsudwelding.com - info@sunbeltsudwelding.com



SERVICE AND TECHNICAL SUPPORT

OFFICE 1-800-462-9353

713-939-8903

EMAIL INFO@SUNBELTSTUDWELDING.COM

COMPANY PROFILE

Sunbelt Stud Welding, Inc. located in Houston, Texas, manufactures and distributes a complete line of stud welding products. Since 1980, we have been committed to providing our customers with quality products, on-time deliveries and service that is second to none. Our customers are located across the United States and throughout the world, and we ship our products from facilities "coast-to-coast".

Sunbelt stocks a large range of weld studs sizes, cable hangers, parts, accessories, new equipment and rental equipment. In addition, we also repair all brands of stud welding equipment.

Our Technical and Customer Service Representatives have many years of experience in stud welding and can assist with any of your stud welding requirements or questions.

Give us a call, 1-800-462-9353 and see how our professional and personal service can help you.



website www.sunbeltstudwelding.com email info@sunbeltstudwelding.com



6381 Windfern Road, Houston, TX 77040 telephone 1.800.462.9353 - Houston 713.939.8903 fax 713.939.9013



SERVICE AND TECHNICAL SUPPORT

OFFICE 1-800-462-9353

713-939-8903

EMAIL INFO@SUNBELTSTUDWELDING.COM

TABLE OF CONTENTS – CONDENSED

DESCRIPTION	SECTION
<u>STUD ARC WELDING INTRODUCTION</u>	1
<u>ARC STUD WELDING – GENERAL & TECHNICAL DETAILS</u>	2
<u>ARC WELD STUDS</u>	3
CONCRETE ANCHORS • NO THREAD STUDS (UNTHREADED) • RECTANGULAR STUDS • THREADED STUDS • INTERNALLY THREADED • TUFFSTUDDS – WEAR PROTECTION	
<u>REFRACTORY ANCHORS</u>	4
<u>CD STUD WELDING – GENERAL & TECHNICAL DETAILS</u>	5
<u>CD WELD STUDS</u>	6
<u>INSULATION PINS</u>	7
<u>METRIC WELD STUDS</u>	8
<u>SHORT CYCLE STUD WELDING – GENERAL & TECHNICAL DETAILS</u>	9
<u>SHORT CYCLE WELD STUDS</u>	10
<u>CABLE HANGERS & CLAMPS & MARINE PRODUCTS</u>	11
<u>FERRULE OPTIONS & DETAILS</u>	12
<u>ACCESSORY OPTIONS & DETAILS</u>	13
<u>STUD WELDING EQUIPMENT</u>	14
<u>RENTAL EQUIPMENT</u>	
<u>NEW EQUIPMENT</u>	
<u>PROCESS & CAPABILITY SUMMARY</u>	
(CD EQUIPMENT • ARC EQUIPMENT • SHORT CYCLE EQUIPMENT)	
<u>AUTOMATIC COMPONENTS</u>	
<u>CNC AUTO FEED SYSTEMS</u>	





SERVICE AND TECHNICAL SUPPORT

OFFICE 1-800-462-9353
713-939-8903

EMAIL INFO@SUNBELTSTUDWELDING.COM

TABLE OF CONTENTS

SECTION 1

STUD ARC WELDING INTRODUCTION

Stud Welding Introduction	1.2
Characteristics Of Each Method	1.3
Process Selection Guide	1.4 - 1.5
Process & Stud Type Combination Guide	1.6

SECTION 2

ARC STUD WELDING – GENERAL & TECHNICAL DETAILS

Arc Stud Welding - Process Description	2.2
Arc Stud Locating: Center Punch, Template & Bushing Design	2.3
Accommodating the Fillet	2.4
Recommended Minimum Base Metal Thickness	2.5
Shielding the Weld	2.5
Threaded & No Thread Weld Studs - Technical Details	2.6 - 2.7
Threads, Flux, Length Reduction, Material, Plating, Ferrules, Accessories, Tensile and Torque Strengths	
Arc Stud Welding Guidelines & Settings	2.8
Weld Inspection - Visual	2.9
Tensile & Torque Strengths	2.10 - 2.12
Threaded Weld Studs - Weight Chart	2.13
No Thread Weld Studs - Weight Chart	2.14

(continued on next page)



website www.sunbeltstudwelding.com email info@sunbeltstudwelding.com
6381 Windfern Road, Houston, TX 77040 telephone 1.800.462.9353 - Houston 713.939.8903 fax 713.939.9013



SERVICE AND TECHNICAL SUPPORT

OFFICE 1-800-462-9353

713-939-8903

EMAIL INFO@SUNBELTSTUDWELDING.COM

SECTION 3 ARC WELD STUDS

CONCRETE ANCHORS • NO THREAD STUDS (UNTHREADED) • RECTANGULAR STUDS •
REFRACTORY ANCHORS • THREADED STUDS • INTERNALLY THREADED • TUFFSTUDDS

Headed Concrete Anchors	3.2 - 3.5
Headed Shear Connectors	3.6 - 3.9
Deformed Bar Anchor	3.10 - 3.12
Punching Shear Resistor	3.13 - 3.14
Threaded Fully Weld Studs	3.15
Threaded Standard Partially Weld Studs	3.16
Threaded Knock-Off Weld Studs	3.17
Threaded Long Reduced Base Weld Studs	3.18
Threaded Short Reduced Base Weld Studs	3.19
Threaded Full Base Weld Studs	3.20
Threaded Collar Weld Studs	3.21
Threaded Collar Crimped Weld Studs	3.22
Threaded Collar Washer Weld Studs	3.23
Threaded Shoulder Weld Studs	3.24
Shoulder Annular Groove Weld Studs	3.25
Annular Ring (Navy) Weld Studs	3.26
Knutred Weld Studs	3.27
Threaded Internally Full Base Weld Studs	3.28
Threaded Internally Reduced Base Weld Studs	3.29
No Thread Weld Studs	3.30
Bent No Thread Weld Studs	3.31
Boiler Tube Weld Studs	3.32
No Thread Knock-Off Weld Studs	3.33
No Thread w/Hold Weld Studs	3.34
No Thread Shoulder Weld Studs	3.35
Aluminum Standard Studs	3.36
Aluminum Collar Studs	3.37
Aluminum Full Base Welding Pins	3.38
Aluminum Shoulder Base Studs	3.39
Aluminum Shoulder Base Welding Pins	3.40
Aluminum Full Base Studs	3.41
Shipbuilding / Offshore: Stack Studs	3.42
No Thread Eye Bolt Weld Studs	3.43
No Thread "J" Bolt Weld Studs	3.44
Rectangular Plain Weld Studs	3.45
Rectangular w/Hole Weld Stud	3.46
Tuffstuds - Wear Protection Weld Studs	3.47 - 3.48
Annular Groove Cap (for Annular Groove Shoulder Studs)	3.49
Cap Setting Tool (for installing AG Caps)	3.49
Panel Nut (for 1/4 - 20 Threaded Studs)	3.49
Hex Nuts (American Standard)	3.50
Hex Jam Nuts (American Standard)	3.50
Flat Washers (American Standard - Type A, Series W)	3.51
Large OD Flat Washer (American Standard - Type B, Series W)	3.51
Split Lock Washer	3.52
Internal Tooth Lock Washer	3.52
External Tooth Lock Washer	3.52
Internal / External Tooth Lock Washer	3.52

(continued on next page)

SECTION 4

REFRACTORY ANCHORS

Refractory Studs	4.2
General Specifications - Arc Stud Welded Anchors	4.3
Arc Stud Welded Refractory Anchor Application Guide (Table #2)	4.4
How To Apply The Refractory Anchor	4.5
Refractory Anchor Placement (Table #3)	4.6
Quantity Of Anchors Required (Table #4)	4.6
Refractory Anchors: Anchor Patterns	4.7
Rectangular "T" Slot Weld Studs - Technical Details	4.8
Rectangular - 2 Tine Weld Studs - Technical Details	4.9
Rectangular - 3 Tine Weld Studs - Technical Details	4.10
Rectangular - 2 Tine Wiggle Weld Studs - Technical Details	4.11
Rectangular Fiber Weld Studs - Technical Details	4.12
Refractory Weld Stud: Insultwist, Lock Washer, Insultwist Lock Cup	4.13
Refractory Studs: Bull Horn	4.14
Refractory Studs: "Y" Anchor	4.15
Refractory Studs: Split Pin	4.16
Refractory Studs: "T" Plate	4.17
Refractory Studs: Knurled	4.18
Miscellaneous Refractory Anchors - General Specifications	4.19
RA EJ-261	4.20
RA EJ-265	4.21
RA EJ-268	4.22
RA EJ-269	4.23
RA EJ-270	4.24
RA EJ-271	4.25
RA EJ-272	4.26
RA EJ-273	4.27
RA EJ-276	4.28
RA EJ-353	4.29
RA EJ-611	4.30
RA EJ-612	4.31
RA EJ-613	4.32
RA EJ-614	4.33
RA EJ-615	4.34
RA EJ-730	4.35
RA EJ-731	4.36
RA EJ-732	4.37
RA EJ-733	4.38
RA EJ-734	4.39

(continued on next page)



SERVICE AND TECHNICAL SUPPORT

OFFICE 1-800-462-9353
713-939-8903

EMAIL INFO@SUNBELTSTUDWELDING.COM

SECTION 4

ARC WELD STUDS – REFRACtORY ANCHORS – (CONTINUED)

RA EJ-735	4.40
RA EJ-737	4.41
RA EJ-738	4.42
RA EJ-739	4.43
RA EJ-740	4.44
RA EJ-741	4.45
RA EJ-742	4.46
RA EJ-743	4.47
RA EJ-744	4.48
RA EJ-745	4.49
RA EJ-746	4.50
RA EJ-750	4.51
RA EJ-751	4.52
RA EJ-752	4.53
RA EJ-801	4.54
RA EJ-802	4.55
RA EJ-803	4.56
RA EJ-804	4.57

SECTION 5

CD WELD STUDS – GENERAL INFORMATION & TECHNICAL DETAILS

CD Stud Welding - Process Description	5.2
Compatibility of Base Metal & CD Stud Material Combinations	5.3
CD Stud Reverse - Side Marking Guide	5.4
CD Weld Stud Locating Options	5.5
CD Weld Studs - Technical Details	5.6 - 5.7
Threaded & No Thread CD Weld Studs, Auto Feed Quality, Material, Plating, Annealing, Weld Base, Length Reduction, Shielding, Welding Position	
CD Stud Welding Guidelines	5.8
CD Stud Weld Inspection - Visual	5.9
CD Stud Weld Inspection - Mechanical - Tensile / Torque Strengths	5.10 - 5.13
Weight Charts - CD Flanged Mild Steel Studs	5.14
CD Weld Studs - Standard Stock Sizes	5.15 - 5.19

(continued on next page)



website www.sunbeltstudwelding.com email info@sunbeltstudwelding.com
6381 Windfern Road, Houston, TX 77040 telephone 1.800.462.9353 - Houston 713.939.8903 fax 713.939.9013

SECTION 6

CAPACITOR DISCHARGE (CD) WELD STUDS

Threaded Flanged	6.2
Threaded Small Flanged	6.3
Threaded Non Flanged	6.4
Threaded Metric Flanged	6.5
Threaded Metric Small Flanged	6.6
Threaded Metric Non Flanged	6.7
Internally Threaded Flanged	6.8
Internally Threaded Non Flanged (Tapped Pads)	6.9
No Thread Flanged	6.10
No Thread Small Flanged	6.11
No Thread Non Flanged	6.12
Threaded Annular Ring (Navy)	6.13
Metric Paint Clearing	6.14
Ground Studs - Single & Double	6.15
Ground Studs - Technical Details	6.16
Threaded Collar	6.17
Flanged Acoustical Hanger	6.18
Pin Bi-Metallic	6.19
Annular Ring Bi-Metallic	6.20
Notched End - Bi-Metallic	6.21
Cable Tie Base Weld Studs	6.22 - 6.23
Other CD Weld Studs	6.24

SECTION 7

INSULATION PINS

CD Weld Pins - Technical Details	7.2
"Sure-fire" CD Power Tip Weld Pins - Technical Details	7.3
Double Pointed Weld Pins	7.4
Self Locking Washers - Speed Clips	7.5
Miscellaneous Insulation Washers	7.6
- Capped Speed Washer	
- Prong Washer	
- Lacing Washer & Ring - LA L100 or LA Ring	
CD Cupped Head Pins	7.7
Quilting Pins	7.8
Duct Liner Pins	7.9
Self-Stick Insul-Anchors	7.10
Application of Self-Stick Insul-Anchors	7.11
Guidelines for Self-Stick Insul-Anchors	7.12
Self-Stick	7.13
Spindle, Prong & Nylon Insul-Anchors	7.14
Application of Spindle, Prong & Nylon Insul-Anchors	7.15
Spindle	7.16

(continued on next page)

SECTION 7
INSULATION PINS – (CONTINUED)

Annular Ring Anchor-Bolt	7.17
Notched End Anchor-Bolt	7.18
Navy Studs - Washer, Caps & Nuts - Key Hole Slotted Washer	7.19
Flat Washers & Hex Nuts (for all threaded studs)	7.20
Threaded Anchor-Bolt	7.21
Nylon	7.22
Prong	7.23
Tuff-Bond Adhesive for Insulation Hangers	7.24
Tuff-Bond Adhesive: Physical Properties & Technical Information	7.25
Series 74 Lacing-Anchors	7.26
Application of Lacing-Anchors	7.27
Series 74 Lacing-Anchors	7.28
Lacing Hook, Lacing Washer & Lacing Ring	7.29
Application of Lacing Hook, Lacing Washer & Lacing Ring	7.30
Series 80 Lacing Hook, L 100 Washer & Ring	7.31

SECTION 8
METRIC WELD STUDS

Metric Weld Studs - Guide	8.2
---	-----

SECTION 9
SHORT CYCLE STUD WELDING – GENERAL INFORMATION & TECHNICAL DETAILS

Short Cycle Stud Welding Process Description	9.2
Short Cycle Weld Studs - Technical Details	9.3 - 9.4

SECTION 10
SHORT CYCLE WELD STUDS

Short Cycle Threaded Weld Studs - Technical Details	10.2
Short Cycle Threaded Weld Studs - Metric Thread Sizes	10.3
Short Cycle Ground Stud w/Cap	10.4
Short Cycle No Thread Weld Studs	10.5

(continued on next page)



SERVICE AND TECHNICAL SUPPORT

OFFICE 1-800-462-9353
713-939-8903
EMAIL INFO@SUNBELTSTUDWELDING.COM

SECTION 11

CABLE HANGERS & CLAMPS & MARINE PRODUCTS

Sunbelt Multi-Option SMO/STS Hanger Overview	11.2
Sunbelt Multi-Option Hanger (SMO)	11.3 - 11.4
SMO-TS & STS-MOD Applications	11.5
STS Tray Applications with SMO-TS Flat Bar Support	11.6
STS Assembly Lengths	11.7
I-ROD™ Standard	11.8
Slotted Cable Hanger Application	11.9
Cable Hangers - Crimp Type	11.10
Cable Hangers - Plate Type	11.11
Cable Hanger - Banding Type	11.12
Coaxial Cable Saddles	11.13
Inverted "T" and Trapeze Hanger w/Over and Under Crossbars	11.14
Inverted "T" and Trapeze Hanger	11.15 - 11.16
Pipe Hanger: "Key-Lock" Type	11.17
Pipe Hanger: Shipboard Pipe Hanger Type III	11.18
Pipe Hanger: Clip Type, Welded Type, Extended Type	11.19
JWC & JSC - Cable Clamps - Specifications	11.20

SECTION 12

FERRULE OPTIONS & DETAILS

Ferrule Options & Common Usage	12.2
Standard Ferrules	12.3 - 12.4

SECTION 13

ACCESSORY OPTIONS & DETAILS

Ferrule Grip - Technical Details	13.2
Chucks	13.3 - 13.4
Long and Rectangular Chucks	13.5
Headed Stud Chucks	13.6
Special Chucks / Legs	13.7
Weld Thru Deck Accessories	13.8
Closed Feet	13.9
Split Feet	13.10
Special Feet & Ferrule Foot Plates	13.11
Special Accessories	13.12
PSR Stud Accessories	13.13

(continued on next page)



SECTION 13

ACCESSORY OPTIONS & DETAILS – (CONTINUED)

<u>Capacitor Discharge Accessories</u>	13.14 - 13.19
- "B" Collets - Standard & Short	
- "B" Stop	
- HBS "B" Collet with Stop	
- "B" Collets - Long	
- Long Style Adjustable Stops	
- Air Collet	
- Ram Feed	
- Collets Inserts for Weld Pins	
- Collets Inserts for Weld Studs	
- Magnetic Chuck	
- "B" Collet Protector	
- Spark Shields	
- Template Tube Adapter	
<u>Adapters</u>	13.20 - 13.21
<u>Control Cable Connectors</u>	13.22
<u>Weld Cable Connectors</u>	13.23 - 13.24
<u>Allen Wrench & Chuck Ejector</u>	13.24

SECTION 14

STUD WELDING EQUIPMENT – RENTAL & NEW EQUIPMENT

<u>Rental Equipment</u>	14.2 - 14.3
<u>New Equipment</u>	14.4
<u>Stud Welding Equipment - Process & Capability Summary</u>	14.4 - 14-6
CD Equipment - Arc Equipment - Short Cycle Equipment	
<u>CDi 508</u>	14.6
<u>C 08-FS</u>	14.6
<u>CDI 1502</u>	14.8
<u>CDI 2302</u>	14.9
<u>CDI 3102</u>	14.10
<u>Pegasar 500 accu</u>	14.11
<u>C 06-3</u>	14.12
<u>CI 03 Stud Welding Gun (for insulation)</u>	14.13
<u>C 08 Stud Welding Gun</u>	14.14
<u>CA 08 Stud Welding Gun</u>	14.15
<u>Visar 650 - Technical Data Sheet</u>	14.16
<u>Visar 650 Visar 650 (Shield gas version)</u>	14.17 - 14.18
<u>ARC 800 Stud Welding Unit</u>	14.19
<u>IT 1002 Stud Welding Unit</u>	14.20
<u>Visar 1200</u>	14.21
<u>IT 2002 Stud Welding Unit</u>	14.22
<u>IT 3002 Stud Welding Unit</u>	14.23

(continued on next page)





SERVICE AND TECHNICAL SUPPORT

OFFICE 1-800-462-9353
713-939-8903
EMAIL INFO@SUNBELTSTUDWELDING.COM

SECTION 14

STUD WELDING EQUIPMENT - (CONTINUED)

A 12 Stud Welding Gun	14.24
A 16 Stud Welding Gun (damped)	14.25
A 22 Stud Welding Gun (damped)	14.26
A 12 M - Nut & Stud Welding Gun	14.27 - 14.28
MARC Nut Welding System	14.29 - 14.30
MARC Welding Nuts - Type Hex^{Nut}	14.31
Stud Welding Equipment - Automatic Components	14.32
CDi 1502 AT	14.33
CDMi 2402	14.34 - 14.36
CDMi 3202	14.37 - 14.39
IT 90 Stud Welding Unit	14.40
KAH 412 LA Automatic Stud Welding Head With Length Compensation	14.41
KAH 412 Automatic Stud Welding Head With Digital Display	14.42
PAH-1 Stud Welding Gun	14.43
VBZ-3 Fully Automatic Stud Feeder	14.44
PMB-LS2 Pneumatic Clamp	14.45
PMB-S Pneumatic Clamp	14.46
Stud Welding Equipment - CNC Auto Feed Systems	14.47
PC-S Production Center Standard Manual	14.48
CPW Series	14.49
MPW 1010/2010 CNC - Multi Production Welder	14.50





SERVICE AND TECHNICAL SUPPORT

OFFICE 1-800-462-9353
713-939-8903
EMAIL INFO@SUNBELTSTUDWELDING.COM

The Sunbelt Stud Welding, Inc. catalog has been developed as an information source for our customers, stud welding users and those that have interest in utilizing the stud welding process.

This catalog provides the following information:

- General and technical information on the stud welding' processes.
- Full line of weld studs with technical details
- Full line of stud welding accessories with many images for quick identification
- Full line of stud welding equipment for manual, CNC and robotic operation.

The catalog does not contain custom accessories, custom weld studs and some of the lower volume weld studs.

Please contact Sunbelt Stud Welding with any questions, product needs, service needs and suggestions.



website www.sunbeltstudwelding.com **email** info@sunbeltstudwelding.com
6381 Windfern Road, Houston, TX 77040 **telephone** 1.800.462.9353 - Houston 713.939.8903 **fax** 713.939.9013



SERVICE AND TECHNICAL SUPPORT

OFFICE 1-800-462-9353

713-939-8903

EMAIL INFO@SUNBELTSTUDWELDING.COM

TERMS AND CONDITIONS OF SALE

TERMS: F.O.B shipping point unless otherwise specifically provided. Payment of invoices is NET 30 DAYS and no cash discounts are allowed unless otherwise specifically provided.

QUOTATIONS: Stenographic and clerical errors subject to correction. All quotations, unless otherwise stated, are for immediate acceptance. Until Seller accepts an order, quoted prices are subject to change without notice.

CHANGE OF PRICE: Goods will be billed at prices prevailing at time of shipment and Buyer agrees to pay Seller at the billed prices.

CREDIT: Accounts will be opened only with firms or individuals with approved credit. The Seller reserves the privilege of declining to make deliveries except for cash or sight draft whenever, for any reason, doubt of the Buyer's responsibility develops.

CANCELLATION: Orders may be canceled or deliveries deferred only upon the condition that the Buyer assume immediate liability and make payment to the Seller for all work complete at the unit price; raw material, unamortized tooling, engineering charges incurred on the basis of cost to the Seller plus handling and overhead charges. All cancellation charges shall be determined at the time of cancellation or deferment.

QUANTITIES: Except where otherwise specifically provided, quotations are based on Buyer accepting over-run or under-run on each individual item not exceeding 10% of the quantities ordered. Where closer quantity control is required, special arrangements must be made. Quantities stated by Seller are normally determined by weight or machine count.

DELIVERIES: The Seller does not assume the responsibility for any damage growing out of or owing to any delays which are beyond his control.

(continued on next page)

RETURNS: No material may be returned without first obtaining written permission from Seller's office. Authorized returns will be subject to a minimum 15% restocking charge.

LIMITED WARRANTY: Sunbelt's only warranty is that goods being sold will be free from defects in workmanship and material. This warranty is expressly in lieu of other warranties, expressed or implied and whether statutory or otherwise, including any implied warranty of merchantability or fitness for a particular purpose. Sunbelt's liability for breach of warranty shall arise only upon return of defective goods at Buyer's expense after notice to Sunbelt of the claimed breach, and shall be limited to furnishing a like quantity of such goods free from such defects or at Sunbelt's option to refunding the purchase price, providing; however, that Sunbelt will not accept receipt of equipment returned unless Buyer has previously afforded Sunbelt's personnel a reasonable opportunity to inspect and repair equipment at Buyer's facility or such other location as is mutually agreeable. Notice to Sunbelt of claimed defects must be made within 90 days of receipt of equipment and 10 days after receipt of other goods. Sunbelt shall never be liable for any consequential damages.

CLAIMS: If the Buyer claims that the material received is not as ordered, he must notify Seller within ten (10) days of receipt of shipment. If such claim that material furnished is not as ordered is sustained to the satisfaction of both parties, the Seller shall repair, replace, credit or complete the order within the limitation of "QUANTITIES". Under no circumstances will the Seller be liable for damages or any claims for expense involved in using its products. Seller will not allow claims for defective goods on those parts further processed by the Buyer and resulting in change of either dimensions or characteristics from parts as ordered.



website www.sunbeltstudwelding.com email info@sunbeltstudwelding.com

6381 Windfern Road, Houston, TX 77040 telephone 1.800.462.9353 - Houston 713.939.8903 fax 713.939.9013



SERVICE AND TECHNICAL SUPPORT

OFFICE 1-800-462-9353

713-939-8903

EMAIL INFO@SUNBELTSTUDWELDING.COM

TERMS AND CONDITIONS OF SALE – CONTINUED

TOLERANCES: Unless otherwise specified, all tolerances and dimensions will be to standard of Seller.

SHIPMENT: In ordering, Buyer should explicitly state the method of shipment preferred and in the absence of such shipping directions, the Seller will use his discretion in employing the method of shipment for the material ordered. Insured shipments will be insured at the Buyer's expense, unless otherwise specified.

Shipments are made at Buyer's risk and expense. Claims for losses incurred in shipments shall be made by the Buyer against carrier. Seller will assist Buyer in preparation and prosecution of claim in every practicable way.

TAXES: Any sales tax now in force or any tax, impost, levy, duty or other charge hereafter imposed by any Government or other authority upon the production, use or sale of any goods ordered hereunder or upon the materials, methods or machines for producing the same and any increase in cost to the Seller in manufacturing, processing or delivering any goods sold hereunder, resulting directly from Government supervision, regulation or control, now or hereafter prescribed by law or in force, and affecting Seller's performance of its obligations hereunder, shall be added to the purchase price as herein noted or any revisions thereof, and shall be paid by Buyer.

PATENTS: It is not the intention of the Seller to manufacture or sell any product which, or the use of which, infringes on any patent and it is understood that the Seller will be promptly notified by the Buyer if the product on which he is quoting or offering for sale, or the use thereof, infringes on any patent. If such infringement exists, the Seller reserves the right to withdraw the quotation, and if the Seller is not given the notice specified herein, Seller will not be obligated in any way to indemnify the Buyer for any losses or damages incurred because of such patent infringements.

AGREEMENT: All orders placed by Buyer with Seller are accepted subject to those terms and conditions of sale. No terms, conditions or warranties other than those stated herein, and no arrangement or understanding, oral or written, in any way purporting to modify these terms of conditions, whether contained in the Buyer's purchase or shipping release forms, or elsewhere, shall be binding on Seller unless hereafter made in writing and signed by its authorized representative. All proposals, negotiations and representations made prior, and with reference hereto, are merged herein.



website www.sunbeltstudwelding.com email info@sunbeltstudwelding.com

6381 Windfern Road, Houston, TX 77040 telephone 1.800.462.9353 - Houston 713.939.8903 fax 713.939.9013